

For dielectric capacitors in pulsed power systems, ultrafast charge-discharge rates and good energy storage performances are essential. The relatively low efficiency η and the low energy density of potassium sodium niobate ceramics will restrict their applications. In this work, a local distortion of the crystal structure of ceramics is made by introducing the Bi and ...

Lead-free ceramics with excellent energy storage performance are important for high-power energy storage devices. In this study, $0.9\text{BaTiO}_3\text{-}0.1\text{Bi}(\text{Mg}_{2/3}\text{Nb}_{1/3})\text{O}_3$ (BT-BMN) ceramics with x wt% $\text{ZnO-Bi}_2\text{O}_3\text{-SiO}_2$ (ZBS) ($x = 2, 4, 6, 8, 10$) glass additives were fabricated using the solid-state reaction method. X-ray diffraction (XRD) analysis revealed that the ZBS ...

The development of lead-free ceramics with high recoverable energy density (W_{rec}) and high energy storage efficiency (η) is of great significance to the current energy situation. In this work, a new scheme was proposed to improve the W_{rec} and η of potassium sodium niobate ($(\text{K}, \text{Na})\text{NbO}_3$, abbreviated as KNN) lead-free ceramics. Doping Bi elements in ...

Recently, lead-free dielectric capacitors have attracted more and more attention for researchers and play an important role in the component of advanced high-power energy storage equipment [[1], [2], [3]]. Especially, the country attaches great importance to the sustainable development strategy and vigorously develops green energy in recent years [4].

In order to assess the stability of the energy storage properties, P-E loops at different temperatures and frequencies as well as the corresponding calculated W_{rec} and η values for the PHS-0.075 ceramic are provided in Fig. 6. As for energy storage capacitors, the frequency-dependent stability is a precondition for ensuring reliable operation.

However, lower energy storage density makes ceramic-based dielectric capacitors cumbersome and extortionate, which limits their application [8]. Hence, it is of great importance to put forward an effective strategy to improve the ESPs of ceramic-based dielectric capacitors. ... Energy storage density and charge-discharge properties of PbHf_{1-x} ...

Dielectric capacitors prepared by antiferroelectric (AFE) materials have the advantages of large power density and fast discharge ability. It has been a focus on the improvement of the recoverable energy density (W_{rec}) and discharge energy-density (W_{dis}) in the AFE ceramics. To address the above issue, optimizing the proportion of components is ...

The dielectric storage capacitor stands as a pivotal constituent within pulsed power technology, including nuclear technology, energy generation, hybrid vehicles, and directed energy weaponry [1,2,3,4,5] spite the

ceramic-based dielectric capacitors showcasing commendable attributes, such as minimal dielectric loss, notable temperature stability, and ...

Fig. 2: The energy storage performance under various conditions and charge/discharge characteristics of BNKT-20SSN ceramic (RRP). a Room-temperature P-E loops measured till the critical electric ...

Dielectric capacitors prepared by antiferroelectric (AFE) materials have the advantages of large power density and fast discharge ability. It has been a focus on the improvement of the recoverable energy density (W_{rec}) and discharge energy-density (W_{dis}) in the AFE ceramics. To address the above issue, optimizing the proportion of components is ...

For the energy storage properties, the ceramic samples were thinned down to about 0.07-0.1 mm in thickness and coated onto an Ag electrode with a diameter of 2 mm. The polarization ... Outstanding energy-storage and charge-discharge performances in Na 0.5 Bi 0.5 TiO₃ lead-free ceramics via linear additive of Ca 0.85 Bi 0.1 TiO₃. Chem. Eng ...

A high recoverable energy density (W_{rec}) of 5.1 J cm⁻³, a high efficiency (η) of 88% and an ultrafast discharge time of 28 ns were finally achieved in NBBT ceramics with $x = \dots$

The energy storage performance and charge-discharge properties of PbHfO₃ were first studied in this communication and all the results indicate that PbHfO₃ ceramic is a promising candidate for pulse power applications.

ReThink Ceramic - Flora is an innovative ceramic material made from 100 % recycled materials. Due to its affordability, suitable thermal performance, and low pressure drop in packed bed thermal energy storage (TES), it is considered as a promising storage material option for high-temperature TES applications including concentrated solar power (CSP) plants.

In this paper, the dielectric characteristics, energy storage performance, and charge-discharge behavior of rare-earth Yb-doped Sr 0.7 Bi 0.2 TiO₃ ceramics are systematically investigated. The Yb-doped SBT ceramics reduced the grain size, improved the insulation and thermal conductivity, and significantly improved the dielectric breakdown ...

Dielectric ceramic capacitors, with the advantages of high power density, fast charge-discharge capability, excellent fatigue endurance, and good high temperature stability, have been acknowledged to be promising candidates for solid-state pulse power systems. This review investigates the energy storage performances of linear dielectric, relaxor ferroelectric, ...

Web: <https://www.arcingenieroslaspalmas.es>